

⊙ · ψ L m E^α

Hψ M'E ψ =

ê T γ H γ Ñ H Ú W ũ ' ũ p γ '

Ò· :π l' l' ^ 9

[illegible]

$$\begin{aligned}
& \tilde{a} \quad \quad \quad \mathfrak{z} \hat{e} \quad \mathfrak{r} \quad \mathfrak{G} \tilde{E}^{\mathfrak{x}} \quad \dot{\rho} \quad \quad \quad \square \psi \quad \mathfrak{H} \mathfrak{t} \quad \quad \psi \\
& \quad \quad \psi \quad \mathfrak{H} \mathfrak{t} \quad \quad \quad \tilde{\mathfrak{l}} \\
& \quad \quad \dot{\rho} \quad \quad \mathfrak{r} \\
& \quad \psi \quad \quad \tilde{E}^{\mathfrak{x}} \quad \quad \quad \tilde{\mathfrak{u}} \quad \quad \quad \mathfrak{v} \quad \quad \quad \bar{w} \quad \quad \quad \mathfrak{t} \quad \quad \quad \mathfrak{v} \quad \tilde{E}^{\mathfrak{x}} \\
& \quad \dot{\rho} \quad \quad \quad \square \psi \quad \mathfrak{H} \mathfrak{t} \quad \quad \hat{\mathfrak{v}} \quad \quad \quad \mathfrak{p} \sim \quad \psi \quad \quad \quad \psi \quad \mathfrak{H} \\
& \mathfrak{t} \quad \hat{\mathfrak{v}} \quad \quad \quad \mathfrak{p} \sim \quad \mathfrak{k} \quad \mathfrak{i} \quad \psi \quad \tilde{E}^{\mathfrak{x}} \quad \quad \quad \mathfrak{v} \quad \quad \quad \mathfrak{i} \quad \mathfrak{r} \quad \mathfrak{H} \quad \tilde{E}^{\mathfrak{x}} \\
& \quad \quad \eta \quad \mathfrak{W} \quad \hat{A} \\
& \quad \quad \quad = \quad \quad \quad \mathfrak{r} \\
& \quad \quad \quad \square \quad \quad \quad \psi \quad \quad \quad \mathfrak{v} \quad \tilde{\mathfrak{l}} \quad \quad \quad \psi \quad \quad \quad \mathfrak{v} \quad \quad \quad \psi \quad \quad \quad \mathfrak{v} \quad \quad \quad \hat{A}
\end{aligned}$$

$$\begin{array}{c}
 \eta \tilde{a} \quad \quad \quad \mathfrak{z} \hat{e} \, \mathfrak{r} \, \mathfrak{G} \mathfrak{g} \quad \quad \quad \mathfrak{E}^{\tilde{x}} \quad \quad \quad \bar{w} \, \chi \quad \quad \quad \kappa \, \psi \quad \quad \quad \tilde{\mathfrak{I}} \\
 \\
 \dot{\rho} \, ' \\
 \\
 \mathfrak{E}^{\tilde{x}} \quad \mathfrak{G} \quad \quad \quad \mathfrak{g} \quad \quad \quad \mathfrak{E}^{\tilde{x}} \quad \quad \quad \bar{w} \, \chi \quad \quad \quad \kappa \, \psi \, \hat{A} \\
 \\
 \wedge \, \bar{w} \sim \psi \quad \quad \quad ' \quad \quad \quad \odot \, \mathfrak{I} \\
 \\
 \wedge \, \mathfrak{H} \sim \psi \quad \quad \quad ' \, \odot \, ' \quad \quad \quad \psi \quad \quad \quad \mathfrak{L} \quad \quad \quad \mathfrak{M} \quad \quad \quad \mathfrak{E}^{\tilde{x}} \, \psi \\
 \\
 \wedge \, \mathfrak{z} \mathfrak{z} \mathfrak{z} \sim \psi \, \mathfrak{g} \quad \quad \quad ' \quad \quad \quad \mathfrak{E}^{\tilde{x}} \quad \quad \quad \mathfrak{H} \psi \\
 \\
 \wedge \quad \quad \quad \sim \, \tilde{\alpha} \, \psi_{\mathfrak{r}} \, \mathfrak{z}' \\
 \\
 \mathfrak{E}^{\tilde{x}} \quad \eta \, \mathfrak{r} \quad \quad \quad \kappa \quad \quad \quad \kappa \quad \quad \quad \eta \, \mathfrak{r} \quad \quad \quad \hat{A}
 \end{array}$$

$$\begin{aligned}
& \tilde{E}^2 H_a H_a \quad 2 \hat{A} \\
& \hat{\mathcal{L}} \sim \psi \\
& \hat{E} \sim \psi H \\
& \hat{E} \sim G \tilde{E} \quad \mathcal{T} \sim \mathcal{M} \quad \tilde{E} \sim \psi \\
& \tilde{E} \\
& \hat{E} \sim G \tilde{E} \sim \psi \\
& \hat{E} \sim G \tilde{E} \sim \psi \\
& \hat{E} \sim G \tilde{E} \sim \rho \quad \psi H \quad \psi \\
& H \sim \tilde{E} \\
& = \\
& \psi \sim \tilde{E} \quad \psi \sim \quad \psi \sim \quad \hat{A}
\end{aligned}$$

$$\psi \sim L \sim M \sim \tilde{E} \sim H \psi$$